

NORTH CHARLESTON COLISEUM

FACILITY INFORMATION

REVISED SEPTEMBER 2026



5001 Coliseum Drive
North Charleston, South Carolina 29418



(843) 529-5000



www.northcharlestoncoliseum.org



TABLE OF CONTENTS

1.0 FACILITY SPECIFICATIONS	3
1.1 CAPACITY	3
1.2 ELECTRICAL	3
1.3 FLOOR SIZE & ACCESS	3
1.4 FORKLIFTS	3
1.5 HEADSETS	3
1.6 HOUSE LIGHTING	4
1.7 LOADING AREA	4
1.8 MIX LOCATION	4
1.9 PARKING	4
1.10 RIGGING	4
1.11 SCOREBOARD	4
1.12 SOUND SYSTEM	4
1.13 SPOTLIGHTS	4
1.14 ELEVATIONS	4
1.15 STAGING, MIX & BARRICADE	4
1.16 SUPPORT AREAS	5
1.17 INTERNET/TELEPHONES	5
1.18 TRUCK STAGING	5
1.19 WEIGHT RESTRICTIONS	5
2.0 GUEST SERVICES	5
2.1 CONCESSIONS	5
2.2 CONCOURSE LEVEL OFFICES	5
2.3 NOVELTIES	5
2.4 PARKING	5
2.5 RESTROOMS	5
2.6 ATM	5
3.0 GENERAL INFORMATION	5
3.1 COLISEUM HOURS	5
3.2 ELEVATORS	6
3.3 INDOOR PYROTECHNICS	6
3.4 SECURITY	6
3.5 TENANTS	6
4.0 FACILITY CHARTS & PLANS	7
4.1 SEATING CONFIGURATIONS	7
4.2 SEATING CHARTS	8
4.3 RIGGING LAYOUTS	9
4.4 BACKSTAGE	12
4.5 DRESSING ROOM LAYOUT	13
4.6 COLISEUM CLUB ROOMS	19
4.7 MONTAGUE TERRACE	20
4.8 COLISEUM TERRACE	21

1.0 FACILITY SPECIFICATIONS

1.1 CAPACITY

The arena is an oval with four primary seating sections: upper fixed, lower fixed, lower risers and floor.

Concert	13,295
Basketball	11,475
Hockey	10,537

Seating Configurations for additional information

1.2 ELECTRICAL

Show Power West

Located upstage right

50' from upstage center

(1) 800 Amp, 3 phase

(2) 600 Amp, 3 phase

(1) 200 Amp, 3 phase

Located upstage left

50' from upstage center

(1) 200 Amp, 3 phase

(1) 400 Amp, 3 phase

Show Power East

Located at rear of house left,

230' from upstage center

(1) 400 Amp, 3 phase

Show Power Catwalk

Located above stage,

70' above upstage center

(1) 250 Amp, 3 phase

(1) 450 Amp, 3 phase

Catering Electrical:

Outside East End:

(2) 4 wire 50 amp Range Plugs

(2) 3 wire 50 amp Range Plugs

(5) 120v 20 Amp Standard Circuits

(1) 250 Amp. 3 phase

(2) Cold water hook ups

Inside:

(4) 4 wire 50 amp Range Plugs

(1) 100 Amp, 3 phase

(1) 200 Amp, 3 phase

1.2A BUS POWER

Bus Power

Shed #1 - North Side of Loading Dock

(5) 4 Wire, 50 Amp Range Plugs

(1) 3 Wire, 50 Amp Range Plugs

(2) 120V, 20 Amp Circuits

(1) 200 Amp, 3 Phase

Shed #2 - West Side of Loading Dock at Island

(5) 5 wire, 50 Amp Range Plugs

(4) 120V, 20 Amp Circuits

(1) 200 Amp, 3 Phase

(1) 300 Amp, 3 Phase

Shed #3 - South Side of Loading Dock

(8) 4 Wire, 50 Amp Range Plugs

(2) 120V, 20 Amp Circuits

(1) 200 Amp, 3 Phase

On the Building @ the large Garage Door

(1) 250 Amp, 3 Phase

1.3 FLOOR SIZE & ACCESS

Wall to wall 112' X 224'

Hockey 85' X 200'

Risers extended 74' X 184'

From Backstage - through interior roll-up door.

From Production Office and Dressing/Team Room

Area - through two tunnels on the house left side of facility equidistant from center of facility.

150' from Dressing / Team Rooms to Backstage

45' from Dressing / Team Rooms to arena floor

1.4 FORKLIFTS

(1) Yale 50 VX Propane forklifts with 4,600 lbs. basic load capacity and 14' lift. One set of five-foot fork extensions.

(2) Yale 60 VX Propane forklifts with 5,400 lbs. basic load capacity

(1) Hyster 50 Fortis Propane forklifts with 4,600 lbs basic load capacity

1.5 HEADSETS

Clear COM system with hard-wired locations throughout the arena.

1.6 HOUSE LIGHTING

112 – Ephesus LUMASPORT 8 White light fixtures
20 – Ephesus LUMAVISION 6 Cell audience fixtures
22 – Ephesus LUMAVISION 8 PRISM RGB fixtures.

1.7 LOADING AREA

Located at the West end of building (service area) with 2 exterior doors. One dock with a leveler plate and one 26' ramp into the building (1" in 1' rise).

Exterior roll-up door measures 12'8"h X 20'w. Interior roll-up door measures 12'2"h X 16'w. Distance from exterior door to interior door is 56'. Distance from exterior door to rear of stage is 100'.

The interior staging area (backstage) is approximately 80' X 48' with an overall height restriction of 12'.

1.8 MIX LOCATION

The house mix location is house right at concourse level in seating section 114, 140' from stage. The preferred floor location is 112' from stage.

1.9 PARKING

Service area has space and power for approximately eight buses and/or trucks. Service area is secured and lit. Adjacent parking lot provides ample additional parking.

1.10 RIGGING

End Stage

Catwalk at 67' above arena floor
Open steel at 97' above arena floor
Grid at 83' above arena floor
Grid measurements: 46' x 68' (Drawings: page 10-12)
Grid capacity: 80,000 lbs

Center Stage

Grid at 69' above arena floor
Grid measurements: 39'6" outside, 27'6" inside
Grid capacity: 90,000 lbs

1.11 SCOREBOARD

Four-sided center hung board with 480i HD full color LED video message center; Hockey trim height 28 ft. 1920X1080 input

1.12 SOUND SYSTEM

Main exploded center cluster of Fulcrum speakers covering the lower arena and floor. Subwoofer system includes eight XLCi215 hanging in a line from the roof in the center of the room. 20 additional full range Fulcrum satellite speaker clusters cover the upper seating areas. Each of these speakers can be remotely turned 'on' and 'off' to accommodate any needed configuration.

1.13 SPOTLIGHTS

(12) 2k Lycian 1290 XLT's

1.14 ELEVATIONS

18' – Concourse
53' – Last row
69' – Catwalk
83' – End stage rigging grid
97' – Open steel

1.15 STAGING, MIX & BARRICADE

Stage

60' x 48' (4' x 8' sections)
Adjustable from 4' to 6' high
Four lighted stair units
ADA ramp
Weight limit is 125 lbs per square foot live load

Mix Platform

4' x 8' sections, adjustable from 16" to 24" high

Barricade

41 sections of bike barricade, 8'4" long x 3'7" high
17 sections of rolling bike barricade, 8'4" long x 3'7" high
96' of freestanding solid barricade (4' x 8' sections)
Blow-Through barricade
(28) straight 4' sections, (2) inside turns, (2) outside turns

1.16 SUPPORT AREAS

Dressing Room Area

Production office (1) 12'w x 14'd x 8'h
Star Dressing rooms (2) 16'w x 12'd x 8'h
Green room 25'w x 14'd x 8'h
Media Work room 28'w x 15'd x 8'h
Team Locker rooms (4) 19'w x 17'd x 8'h
Small Dressing rooms (3) 12'w x 5'd x 8'h
C113 Room (1) 12'w x 14'd x 8'h

1.17 INTERNET/TELEPHONES

Phone lines and internet (hard-wired and wireless) are available backstage, arena floor, concourse, Club rooms, and both Terraces.

1.18 TRUCK STAGING

Truck staging area is approximately 180' x 90'

1.19 WEIGHT RESTRICTIONS

Main floor restrictions to 500 PSF

2.0 GUEST SERVICES

2.1 CONCESSIONS

10 permanent food and beverage stands
Multiple portable locations around the concourse

2.2 CONCOURSE LEVEL OFFICES

Guest Services Information Desk

Located at Section 130. Staffed during events offering Lost & Found, Lost Children services and Coliseum information.

First Aid

Located at Section 108. Staffed with first aid personnel and supplies during events

**ALL FACILITIES ARE ACCESSIBLE TO THE
PHYSICALLY CHALLENGED**

2.3 NOVELTIES

Novelty locations are available as needed. The preferred locations are North Concourse (Sections 110/112) and South Concourse (Sections 130/132)

2.4 PARKING

3,882 on-site parking spaces
\$10.00 per car parking fee

2.5 RESTROOMS

Concourse: 6 Women's / 4 Men's
Club Rooms: 1 Women's / 1 Men's (Family Restroom)
Each Terrace (2): 1 Women's / 1 Men's

2.6 ATM

(1) ATM located at Section 126/128

3.0 GENERAL INFORMATION

3.1 COLISEUM HOURS

The North Charleston Coliseum and its facilities will be scheduled for your use as specified in your Facilities License Agreement. Changes may incur additional charges.

Ticketed Events (i.e. Concerts, Hockey, Spectator Events)

The doors of the North Charleston Coliseum will normally open for the general public one hour prior to the event start time designated on the tickets.

Trade/Consumer Shows

The doors of the North Charleston Coliseum will open for the general public at the time designated as the show hours.

3.2 ELEVATORS

Freight Elevator

The freight elevator is located at Section 106

Capacity is 10,000 pounds

Platform size is 7' 8" wide x 14' deep

Door opening is 7' 8" wide x 8' high

Use of this elevator is for Authorized Personnel Only

Public Elevators

Two public elevators; the use of these elevators is restricted to guests with disabilities and others who require assistance.

South side Disabled Entrance/Section 128

North side lobby/Coliseum Terrace

3.3 INDOOR PYROTECHNICS

The procedure to obtain approval to use pyrotechnics at the North Charleston Coliseum is as follows:

1) Contact the North Charleston Coliseum **(843) 529-5050** at least 45 working days in advance of the date that you wish to use pyrotechnics. An application and memo explaining the full procedure will be sent to you.

2) Meet all the requirements of **NFPA 1126, 1992 EDITION.**

3) Use only properly licensed pyrotechnicians and/or companies.

4) Obtain approval from the State of South Carolina as well as North Charleston Fire Department approval. You must file a plan of what will be used and where and provide a local demonstration of all effects that will be used. Additional fire watch/Fire Marshall personnel, paid for by the event, will be assigned by NCFD.

3.4 SECURITY

Due to the diverse nature of the events and the size of the North Charleston Coliseum, we maintain our own 24-hour Command Center Staff responsible for basic building security and the safeguard of North Charleston Coliseum property. The Director of Event Services will be your contact for any additional

Rev 09/2026

security needs you may have.

24-hour recorded security cameras are posted in various areas around the venue/property.

All guests are subject to bag checks and Evolv screening upon entry. Clear bag policy 14"x6"x14" and any non-clear bags must be smaller than 4.5"x6.5".

The North Charleston Coliseum is not responsible for any lost or stolen articles.

No concealed weapons, of any kind, are permitted in any of the buildings.

3.5 TENANTS

The North Charleston Coliseum is home to the South Carolina Stingrays of the East Coast Hockey League. Additional information regarding the Stingrays can be obtained by contacting them at:

South Carolina Stingrays
5050 Etna St.
Suite B
North Charleston, SC 29418

(843) 744-2248
(843) 744-2898 fax
www.stingrayshockey.com

4.0 FACILITY CHARTS & PLANS

4.1 SEATING CONFIGURATIONS

CONCERT:

End Stage - 360 degrees		- 270 degrees		- 180 degrees	
Upper Fixed	7,135	Upper Fixed	5,613	Upper Fixed	4,225
Lower Fixed	2,473	Lower Fixed	2,033	Lower Fixed	1,593
Risers	789	Risers	789	Risers	661
Floor	2,000	Floor	2,000	Floor	2,000
Disabled	34	Disabled	34	Disabled	14
Total	12,431 GA FL 12,223 Res FL	Total	10,469 GA FL	Total	8,493 GA FL 8,285 Res FL

Center Stage		Half-House: "End Stage"	
Upper Fixed	7,135	Upper Fixed	2,188
Lower Fixed	2,473	Lower Fixed	1,593
Risers	1,593	Risers	661
Floor	2,000	Floor	2,000
Disabled	34	Disabled	34
Total	13,235 GA FL 12,904 RES FL	Total	6,476 GA FL 6,268 Res FL


HOCKEY:	
Upper Fixed	7,135
Lower Fixed	2,473
Risers	786
Disabled	34
Total	10,428

BASKETBALL:	
Upper Fixed	7,135
Lower Fixed	2,473
Risers	789
Disabled	34
Total	10,431


4.2 SEATING CHARTS

SEATING CONFIGURATIONS


Hockey




Basketball




End Stage





Center Stage




4.3 RIGGING LAYOUTS








4.4 BACKSTAGE




4.5 DRESSING ROOM LAYOUT




DRESSING ROOM PICTURES


Dressing Room One




Dressing Room Three




Dressing Room Two



Dressing Room Four



Dressing Room Five



Locker Room B



Locker Room A




Locker Room C




Locker Room D



Production Office



Storage Room



Green Room




Media Work Room




Catering




4.6 COLISEUM CLUB ROOMS



4.7 MONTAGUE TERRACE




4.8 COLISEUM TERRACE



FACILITY PARKING GUIDE

North Charleston Coliseum/Convention Center/Performing Arts Center/Montague Terrace

PARKING GUIDE



Loading Dock Overview

